




Proposed Fieldstown Substation

Photomontage Booklet

November 2022

Viewpoint Location Map



1

2

8a

8b

4

3

5

6

7

9





BASELINE



AECOM Delivering a better world

Visualisation Type: 3
Projection: Cylindrical
Enlargement Factor: 96%
Paper Size: A1
Date / Time: 20/10/2022 13:56

Camera: Nikon D750
Lens: Nikon 50mm f/1.4G
Horizontal Field of View: 90°
Direction of View: South East
Location: E711591 N751134

Eye level: 52.2m AOD
Height of Camera: 1.6m
Distance to Main Development Area: 544m

Note:
Images to be viewed at a comfortable arm's length.

Proposed Fieldstown Substation
VP01



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	52.2m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP01
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	544m		
	Paper Size:	A1	Direction of View:	South East				
	Date / Time:	20/10/2022 13:56	Location:	E711591 N751134				



AECOM Delivering a better world

Visualisation Type: 3
Projection: Cylindrical
Enlargement Factor: 96%
Paper Size: A1
Date / Time: 20/10/2022 13:56

Camera:
Lens: Nikon D750
Horizontal Field of View: Nikon 50mm f/1.4G 90°
Direction of View: South East
Location: E711591 N751134

Eye level: 52.2m AOD
Height of Camera: 1.6m
Distance to Main Development Area: 544m

Note:
Images to be viewed at a comfortable arm's length.


Proposed Fieldstown Substation
VP01



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	43.1m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP02
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	251m		
	Paper Size:	A1	Direction of View:	East				
	Date / Time:	20/10/2022 13:44	Location:	E711619 N750697				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	43.1m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP02
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	251m		
	Paper Size:	A1	Direction of View:	East				
	Date / Time:	20/10/2022 13:44	Location:	E711619 N750697				



WIRELINE



AECOM Delivering a better world

Visualisation Type: 3
Projection: Cylindrical
Enlargement Factor: 96%
Paper Size: A1
Date / Time: 20/10/2022 13:44

Camera: Nikon D750
Lens: Nikon 50mm f/1.4G
Horizontal Field of View: 90°
Direction of View: East
Location: E711619 N750697

Eye level: 43.1m AOD
Height of Camera: 1.6m
Distance to Main Development Area: 251m

Note:
Images to be viewed at a comfortable arm's length.

Proposed Fieldstown Substation
VP02



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	36.2m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP03
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	497m		
	Paper Size:	A1	Direction of View:	North East				
	Date / Time:	20/10/2022 13:14	Location:	E711731 N750129				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	36.2m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP03
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	497m		
	Paper Size:	A1	Direction of View:	North East				
	Date / Time:	20/10/2022 13:14	Location:	E711731 N750129				



WIRELINE



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	36.2m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP03
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	497m		
	Paper Size:	A1	Direction of View:	North East				
	Date / Time:	20/10/2022 13:14	Location:	E711731 N750129				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	38.4m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP04
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	584m		
	Paper Size:	A1	Direction of View:	North West				
	Date / Time:	20/10/2022 11:36	Location:	E712470 N750269				



PROPOSED



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	38.4m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP04
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	584m		
	Paper Size:	A1	Direction of View:	North West				
	Date / Time:	20/10/2022 11:36	Location:	E712470 N750269				



WIRELINE



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	38.4m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP04
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	584m		
	Paper Size:	A1	Direction of View:	North West				
	Date / Time:	20/10/2022 11:36	Location:	E712470 N750269				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	35.2m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP05
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	598m		
	Paper Size:	A1	Direction of View:	North				
	Date / Time:	20/10/2022 12:22	Location:	E712192 N750059				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	35.2m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP05
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	598m		
	Paper Size:	A1	Direction of View:	North				
	Date / Time:	20/10/2022 12:22	Location:	E712192 N750059				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	35.2m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP05
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	598m		
	Paper Size:	A1	Direction of View:	North				
	Date / Time:	20/10/2022 12:22	Location:	E712192 N750059				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	47.8m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP06
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	800m		
	Paper Size:	A1	Direction of View:	North				
	Date / Time:	20/10/2022 13:03	Location:	E711683 N749827				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	47.8m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP06
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	800m		
	Paper Size:	A1	Direction of View:	North				
	Date / Time:	20/10/2022 13:03	Location:	E711683 N749827				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	47.8m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP06
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	800m		
	Paper Size:	A1	Direction of View:	North				
	Date / Time:	20/10/2022 13:03	Location:	E711683 N749827				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	54.8m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP07
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1615m		
	Paper Size:	A1	Direction of View:	North				
	Date / Time:	20/10/2022 13:28	Location:	E710828 N749380				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	54.8m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP07
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1615m		
	Paper Size:	A1	Direction of View:	North				
	Date / Time:	20/10/2022 13:28	Location:	E710828 N749380				




AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	54.8m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP07
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	1615m		
	Paper Size:	A1	Direction of View:	North				
	Date / Time:	20/10/2022 13:28	Location:	E710828 N749380				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	47.8m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP08a
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	311m		
	Paper Size:	A1	Direction of View:	North West				
	Date / Time:	20/10/2022 11:53	Location:	E712321 N750662				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	47.8m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP08a
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	311m		
	Paper Size:	A1	Direction of View:	North West				
	Date / Time:	20/10/2022 11:53	Location:	E712321 N750662				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	47.8m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP08a
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	311m		
	Paper Size:	A1	Direction of View:	North West				
	Date / Time:	20/10/2022 11:53	Location:	E712321 N750662				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	47.5m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP08b
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	377m		
	Paper Size:	A1	Direction of View:	North West				
	Date / Time:	20/10/2022 11:59	Location:	E712389 N750630				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	47.5m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP08b
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	377m		
	Paper Size:	A1	Direction of View:	North West				
	Date / Time:	20/10/2022 11:59	Location:	E712389 N750630				



WIRELINE



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	47.5m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP08b
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	377m		
	Paper Size:	A1	Direction of View:	North West				
	Date / Time:	20/10/2022 11:59	Location:	E712389 N750630				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	154.1m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP09
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	21892m		
	Paper Size:	A1	Direction of View:	South East				
	Date / Time:	20/10/2022 14:51	Location:	E691913 N759647				



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Nikon D750	Eye level:	154.1m AOD	Note: Images to be viewed at a comfortable arm's length.	Proposed Fieldstown Substation VP09
	Projection:	Cylindrical	Lens:	Nikon 50mm f/1.4G	Height of Camera:	1.6m		
	Enlargement Factor:	96%	Horizontal Field of View:	90°	Distance to Main Development Area:	21892m		
	Paper Size:	A1	Direction of View:	South East				
	Date / Time:	20/10/2022 14:51	Location:	E691913 N759647				

